

WOT DIGITAL SERVICES PRIVATE LIMITED

Address: 16, Street Address 1(A), Maruti Kunj, Bhondsi, Sohna Road, Gurugram, HR 122101

Mob: +91-9518203119, Mail: info@wotdgroup.com, Url: https://www.wotdgroup.com

X-Ray Baggage Scanner WTD-AT8065

Product highlights

- * Multilingual operation
- * Automatic built in test and self diagnosis
- * Secure access Key
- * Uninterruptable power supply (UPS) for computer
- * Threat alert and material classification
- * Auto archiving
- * Energy saving design
- * One key turn off
- * Drugs and explosives inspection
- * Indication of the date and time
- * baggage counter
- * Sens-Tech detection board and Hamamatsu detector





Physical Specifications

Unit weight (kgs) 640

Unit size (mm) 2848(L)*1095(W)*1536(H)

after packed in wooden pallet -

Gross weight (kgs) 800

Packing size #1: 212*122*177cm

#2: 122*90*141cm





WOT DIGITAL SERVICES PRIVATE LIMITED

Address: 16, Street Address 1(A), Maruti Kunj, Bhondsi, Sohna Road, Gurugram, HR 122101

Mob: +91-9518203119, Mail: info@wotdgroup.com, Url: https://www.wotdgroup.com

General Specifications

Tunnel size(mm) 800(L)*650(W)

Conveyor Speed(m/s) 0.22

Conveyor height(mm) 341

Conveyor Max Load(kgs) 200

X ray dose per each inspection ≤4µSv

X ray leakage \$\leq 1\pu \sets v/h\$ at any point 5 centimeters outside the external surface

Penetration 34 mm steel

Wire Resolution dia 0.102mm copper wire (AWG38)

Penetration Resolution dia 0.202mm copper wire (AWG32) under three-step aluminium wedge 9.5mm,

15.9mm, 22.2mm

Spatial resolution: Horizontal:dia 1.3mm, Vertical: dia 1.3mm

Power Consumption max. 1KW

Noise <60 dB

Film Safety Guarantee ASA/ISO1600 Film

X-ray Generator (single)

Anode Voltage 140-160 KV adjustable

Ray direction Downward

Cooling / Duty Cycle Sealed oil cooling /100%

Image System

Image Enhancement

X-ray Sensor L-Shaped Photodiode Array, 12bit deep

Images process

24bit real time processing ,4colors analysis, Images displayed marked date and

ID No., Count the number of bags

Image display High resolution of 1024 * 1280 pixel; Image Grey Level: 4096

1-64times enlargement continuity, Color/BW, negative, high/low penetration

enhancement, brightening, darkening, gray level scan, super enhancement,

elimination of organics/inorganics, local enhancement, pseudo color processing,

edge enhancement, etc.

Explosives & Narcotics Detection Suspicious organics highlight(atomic number Zeff=7,8,9)

Suspecious Alarm

Alarm and box line the suspicious objects including hard to penetrate material,

explosives and drugs

Inserting fictional, but realistic images of threat items into baggage during Threat Image Projection(TIP) screening operation, for maintenance of vigilance, as well as training and

acceptance of image identification cancillate

assessment of image identification capability

Image Recall 30 images recallable



Electric roller

WOT DIGITAL SERVICES PRIVATE LIMITED

Address: 16, Street Address 1(A), Maruti Kunj, Bhondsi, Sohna Road, Gurugram, HR 122101

Mob: +91-9518203119, Mail: info@wotdgroup.com, Url: https://www.wotdgroup.com


| Image Archive | Up to 50,000 images stored automatically, enable transferring to USB disk, and converting to JPG, BMP and other general formats |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Miscellaneous Functions | Time/date display, counters, user management, system-on/X-ray-on timers, power on self test, built-in diagnostic facilities, dual-direction scanning, system log, system standby and stimulant training, etc. |
| Network Applications | Option: Multiple remote applications available based on Ethernet LAN and windows platform, such as image centralized storage and identify, recheck workstation etc. |

| Operating Environment | | |
|--------------------------------|-------------------------------------------------------------|--|
| Operation temperature/Humidity | 5°C-40°C / 0%-90%(non-condensing) | |
| Storage Temperature/Humidity | -20°C to 60°C / 10%-90%(non-condensing) | |
| Operation Power | 220VAC(±10%) 50±3Hz (Optional: 100VAC,110VAC,120VAC,200VAC) | |
| UPS | Options: 15mins, 30mins, 60mins etc | |

| Computer and other | her | |
|--------------------|-----------------------------------------------------|--|
| Monitor | 2 17-inch LCD monitors, 1280*1024, one console desk | |
| RAM | 4GB | |
| Hard Disk | 2T | |
| Keyboard | Special designed | |
| System | Windows 10 | |

| Compliance | ance | | |
|---------------|-------------------------------------------------------------|--|--|
| International | * ISO19001; ISO14001; OHSMS18001; * CE RoHS * FDA FCC | | |

Three-phase





WOT DIGITAL SERVICES PRIVATE LIMITED

Address: 16,Street Address 1(A), Maruti Kunj, Bhondsi, Sohna Road, Gurugram, HR 122101

Mob: +91-9518203119, Mail: info@wotdgroup.com, Url: https://www.wotdgroup.com