



# WOT DIGITAL SERVICES PRIVATE LIMITED

Address: 16, Street Address 1(A), Maruti Kunj, Bhondsi, Sohna Road, Gurugram, HR 122101

Mob: +91-9518203119 , Mail: [info@wotdgroup.com](mailto:info@wotdgroup.com) , Web: [www.wotdigitalservices.com](http://www.wotdigitalservices.com)



## WTD-UFP8503

### Fingerprint Time Attendance Terminal



# MAIN FEATURES

- 2.4-inch LCD screen to display me, date, week, and attendance information
- Remotely adds fingerprints to the system • TCP/IP communication
- 1:N mode accurate and fast fingerprint recognition (recognition duration < 1 s) • Max. 1000 users, Max. 1000 fingerprints, and Max. 100,000 events records
- Stand-alone operation (supports adding persons, cards, and fingerprints locally) • Downloads attendance reports by USB flash drive
- Up to 32 normal shifts, 32 man-hour shifts, and 32 attendance holiday schedules can be configured
- Supports 6 attendance status, including check in, check out, break in, break out, overtime in, overtime out
  - Generates reports automatically
- Supports multiple languages: English, Vietnamese, Brazilian Portuguese, Spanish, French, Italian, Arabic, and Thai
- Supports ISAPI protocol and ISUP 5.0 protocol

## SPECIFICATION

System	
Opera on system	Linux
Screen	
Size	2.4-inch
Type	LCD-TFT display screen
Audio	
Audio output	1 loudspeaker, 1 buzzer
Network	
Wired network	TCP/IP, 10/100Mbps, self -adaptive
Interface	
Network interface	1
USB	1
Capacity	
Card capacity	1000
Fingerprint capacity	1000
Event capacity	100,000
Authentication	
Card type	EM card
Card reading distance	0 to 3.5 cm
Fingerprint module	Optical fingerprint module
Fingerprint comparing mode	1:1 and 1:N



Fingerprint recognition dura on	< 1 s
Fingerprint False Acceptance Rate (FAR)	≤ 0.001 %
Fingerprint False Rejection Rate (FRR)	≤ 0.01 %
<b>Others</b>	
Battery	Yes
Power supply	5 VDC/1 A
Working temperature	-10 °C to +55 °C (14 °F to +131 °F )
Working humidity	10% to 90% (no condensing)
Color	White
Dimensions	140 mm × 155 mm × 30 mm (5.51" × 6.01" × 1.18" )
Applica on environment	Indoor
Installation	Wall mounting

®

## DIMENSION

